INTESTINAL METALS DETOX

THIS INFORMATION IS PROVIDED AS A MEDICAL AND SCIENTIFIC EDUCATIONAL RESOURCE FOR THE USE OF PHYSICIANS AND OTHER LICENSED HEALTH CARE PRACTITIONERS ("PRACTITIONERS"). THIS INFORMATION IS INTENDED FOR PRACTITIONERS TO USE AS A BASIS FOR DETERMINING WHETHER TO RECOMMEND THESE PRODUCTS TO THEIR PATIENTS. ALL RECOMMENDATIONS REGARDING PROTOCOLS, DOSING, PRESCRIBING AND/OR USAGE INSTRUCTIONS SHOULD BE TAILORED TO THE INDIVIDUAL NEEDS OF THE PATIENT CONSIDERING THEIR MEDICAL HISTORY AND CONCOMITANT THERAPIES. THIS INFORMATION IS NOT INTENDED FOR USE BY CONSUMERS.

IMD® (Intestinal Metals Detox) Intestinal Cleanse is a thiol-functionalized silica blend that supports the natural elimination of harmful metals through the intestine while balancing antioxidant activity, providing multifaceted support for metals detox.¹ Elimination of toxic metals through the intestine spares the delicate kidneys, which are highly sensitive to the toxic effects of mercury and other heavy metals.

EDUCATION

MERCURY: AN EVER-INCREASING HEALTH HAZARD

Mercury is perhaps the most well-recognized toxic heavy metal in our environment and also the most complex! Industrial plants, coal burning, incinerators, and chlor-alkali facilities have historically released copious amounts of mercury into our atmosphere,

	UICKSILVER	
	VDER	
SUF Higi Diet Supp	VITAL ULEANSE PLEMENT* LY BIOAVAILABLE ry ement \$GRAMS	
Predu	1 Code: QSINDD1 15048.06	

Amount Per Serving	% Dai Value
200mg	*
	Amount Per Serving 200mg blished

resulting in widespread mercury contamination of our oceans, soil, and air.

Mercury is also a primary component of dental amalgams, which reside in the teeth of more than 100 million Americans. The act of breathing and eating is enough to release mercury vapor from amalgams, allowing it to enter the lungs and GI tract. Interestingly, exposure to non-native EMFs may also release mercury from dental amalgams.²

For decades, mercury was used as a preservative (thimerosal) in pediatric vaccines and comprised a significant source of exposure for children; today, it has been removed from most pediatric vaccines but remains in more than half of flu shots.³

There are four primary forms of mercury, each with unique environmental sources, bioavailability, and toxicity within the body. These four include Elemental mercury, Inorganic mercury, Methylmercury, and Ethylmercury. Elemental mercury (HgO) exists primarily in the atmosphere as a liquid or gas released through mining and burning processes, runoff from landfills, and erosion from natural depots. Elemental mercury is also released copiously from dental amalgams⁴. Inorganic mercury (Hg2+) is released from the surface of corroding dental amalgams; its toxic effects are more significant than elemental mercury; however, it also has more limited mobility in the body.

Methylmercury (MeHg) is a form of organic mercury that is lipophilic in nature, meaning it readily crosses lipid-based cell membranes. Over 95 percent of the mercury found in fish is methylmercury, making seafood the most significant source of exposure. Methylmercury is also formed in the gut when gut bacteria react with the metal. Last but not least, ethylmercury is the form of mercury that has been used in vaccines as a preservative.¹⁸

MERCURY HAS TOXIC EFFECTS ON HUMAN PHYSIOLOGY

The adverse health impacts of mercury are extensive, extending across a wide range of cells, tissues, and organs. At a cellular level, mercury triggers the generation of free radicals, reactive molecules that "steal" electrons from enzymes, proteins, lipids, and genetic material. The free radicals also overwhelm the body's intrinsic antioxidant capacities, instigating oxidative stress. Oxidative stress elicited by mercury harms the nervous system, cardiovascular system, immune system, and gut, leading to a vast array of adverse health effects. Methylmercury also binds to amino acid structures called cysteinyl residues, allowing it to rapidly enter the central nervous system. This property of methylmercury makes it highly mobile, allowing it to easily cross from the intestine into the systemic circulation, and from the circulation into the brain.^{4,5,6,9,12}

While acute exposure to high levels of mercury is a well-recognized public health threat, chronic low-level exposures remain unaddressed by the medical community at large, despite an overwhelming body of research indicating harmful health effects.

The adverse health impacts of mercury exposure include:

- A shift in immune function towards an autoimmune phenotype⁵
- Oxidative stress in the brain, potentially contributing to neurodegenerative diseases⁶
- Impairments in reproductive function contributing to infertility and an increased risk of miscarriage⁷
- Thyroid dysfunction, including hypothyroidism⁸
- Gut dysfunction, including imbalances in the gut microbiome⁹

Mercury is highly toxic to the human body; however, mercury detoxification must be pursued in a delicate, intelligent way due to its volatility. Thiol-functionalized silica is a gentle yet highly effective tool for safely facilitating detoxification of mercury through the intestines, rather than the fragile kidneys, thereby optimizing whole-body health.*

THE VICIOUS CIRCLE OF INTESTINAL INFLAMMATION AND MERCURY TOXICITY

Mercury is known to trigger intestinal inflammation. Intestinal inflammation, in turn, inhibits the elimination of toxins by downregulating the body's natural detox pathways. The vicious circle of mercury toxicity and gut inflammation can make successful mercury detoxification elusive. However, the thiol groups in thiol-functionalized silica both bind mercury and offer antioxidant properties that quench intestinal inflammation, creating a functional foundation for successful mercury detox.^{5.8}

CONVENTIONAL MERCURY CHELATION THREATENS THE KIDNEYS

Conventional mercury chelation techniques involve the administration of synthetic chelating agents, such as DMSA and DMPS, that usher mercury out of the body via the kidneys. However, mercury can have significant harmful effects on the kidneys, which are quite delicate in structure and function. For this reason, the gastrointestinal tract is the preferred route of elimination for mercury. Thiol-functionalized silica intervenes in the enterohepatic circulation of mercury, efficiently mopping up this highly toxic metal and safely ushering it out of the body via the stool.¹⁰

Thiol-functionalized silica does not enter the bloodstream and thus does not cause redistribution or surge of mobilized metals in the body that could potentially harm the liver or kidneys. Through these mechanisms, it allows organ and tissue-bound mercury to safely drain into the blood at a natural rate.*

Quicksilver Delivery Systems^{*} improve upon liposomal and emulsification technology with smaller, more stable particles made from the highest-grade ingredients available. In addition to exceptional absorption rates, these tiny liposomal and nanoemulsified particles increase diffusion across mucous membranes, enhance lymphatic circulation of nutrients and support cellular delivery.*

References available at <u>quicksilverscientific.com/imdreferences</u>

TS220003 Rev. 00

WARNING: NOT FOR USE BY INDIVIDUALS UNDER THE AGE OF 18 YEARS. DO NOT USE IF PREGNANT, BREAST-FEEDING, OR PLANNING TO BECOME PREGNANT. KEEP OUT OF REACH OF CHILDREN. Consult a healthcare professional before use if you have any medical condition or are taking any other supplements or medications. Do not exceed recommended dosage. See <u>www.quicksilverscientific.com</u> for additional safety information.

This information is for the use of licensed healthcare practitioners only and is intended to use as a basis for determining whether or not to recommend these products to their patients. This medical and scientific information is not for use by consumers.

*These statements have not been evaluated by the Food and Drug Administration. This product is not intended to diagnose, treat, cure, or prevent any disease.

